Barn Door Hardware



Hager Companies introduces our new premium Stainless Steel Sliding Barn Door Hardware System with versatile options for glass or wood doors. A seamless fit for commercial or residential applications, the Stainless Steel Sliding Barn Door Hardware System offers seven styles of door hangers complimenting any décor.



FEATURES

- · 304 stainless steel track and hangers nylon coated rollers
- . Conforms to ANSI BHMA A156.14-2007
- . Grade 1 for sliding doors by exceeding 100,000 cycles in operation

SPECIFICATIONS

- · Door weight up to 250 lbs
- · Wood doors 1-3/4" thick top-mount hangers
- . Door bottom 3/8" undercut
- . Glass doors 3/8" to 1/2" thick face-mount hangers



| Stock Number Stainless Steel 7 | Hager Part Number 78" Kits | Description | | |
|-----------------------------------|-------------------------------|--|--|--|
| Top Mount | | | | |
| 183635 | 9432-78 | Top Mount Stick 2m (78-3/4") SS Round Rail | | |
| 183637 | 9433-78 | Top Mount Dual Wheel 2m (78-3/4") SS Round Rail | | |
| 183683 | 9462-78 | Flat Rail Stick Strap 55 6' Flat track | | |
| 183641 | 9435-78 | Top Mount Spoke Wheel 2m (78-3/4") SS Round Rail | | |
| Face Mount | 7,0070 | Top I read appears to the same for any I place to the same | | |
| 183643 | 9436-78 | Face mount Strap Stick 2m (78-3/4*) SS Round Rail | | |
| 183646 | 9437-78 | Face mount Strap Dual Wheel 2m (78-3/4") SS Round Rail | | |
| 183650 | 9438-78 | Face mount Strap Triangle 2m (78-3/4") SS Round Rail | | |
| Stainless Steel 9 | 96" Kits - Subject to Ex | | | |
| Top Mount | | | | |
| 183636 | 9432-96 | Top Mount Stick 2m (96-3/4") SS Round Rail | | |
| 183638 | 9433-96 | Top Mount Dual Wheel 2m (96-3/4") SS Round Rail | | |
| 183640 | 9462-96 | Flat Rail Stick Strap SS 8' Flat track | | |
| 183642 | 9435-96 | Top Mount Spoke Wheel 2m (96-3/4") SS Round Rail | | |
| Face Mount | | | | |
| 183644 | 9436-96 | Face mount Strap Stick 2m (96-3/4") SS Round Rail | | |
| 183647 | 9437-96 | Face mount Strap Dual Wheel 2m (96-3/4*) SS Round Rail | | |
| 183651 | 9438-96 | Face mount Strap Triangle 2m (96-3/4") SS Round Rail | | |
| Accessories | | | | |
| 183156 | 1-269-8665 | Tool set for 05WG; 06WG; 07WG (Round Rail) | | |
| 183163 | 1-269-8666 | Tool set for 01W; 02W (Round Rail) | | |
| 183164 | 1-269-8667 | End Cap | | |
| 183165 | 1-269-8668 | Guide for Wooded Door | | |
| 183166 | 1-269-8669 | Door Stop | | |
| 183167 | 1-269-8670 | Guide for Glass Door | | |
| 183168 | 1-269-8671 | Top Mount Stick Sliding Door Roller for Wood, \$5304 Satin | | |
| 183170 | 1-269-8672 | Top Mount Dual Wheel Sliding Door Roller for Wood, SS304 Satin | | |
| 183171 | 1-269-8673 | Top Mount Spoke Wheel Sliding Door Roller for Wood, SS304 Satin | | |
| 183172 | 1-269-8674 | Strap Stick Sliding Door Roller for Wood and Glass, SS304 Satin | | |
| 183173 | 1-269-8675 | Strap Dual Wheel Sliding Door Roller for Wood and Glass, SS304 Satin | | |
| 183176 | 1-269-8676 | Strap Triangle Sliding Door Roller for Wood and Glass, \$5304 Satin | | |
| 183179 | 1-269-8677 | Flat Rail Stick Sliding Door Carrier for Wood SS304 Satin | | |
| 183180 | 1-269-8678 | Flat Rail Door Stopper Left, SS304 Satin | | |
| 183181 | 1-269-8679 | Flat Rail Door Stopper Right, SS304 Satin | | |
| 183182 | 1-269-8680 | Flat Rail Anti Jump | | |
| 181901 | 1-269-8663 | Round Rail Connector SS304 Satin Nickel | | |
| 181902 | 1-269-8664 | Flat Rail Connector SS304 Satin Nickel | | |







9432 PACKAGED SETS Top Mount Stick 2m SS Round Rail

FEATURES

Materials:

304 stainless steel track and hangers with nylon coated rollers

System Includes:

- . Stainless steel track (78" or 96") with two end caps available in round or flat rail
- · Hangers with wall brackets
- · One door bottom guide
- · Two track stops
- · Mounting and installation hardware

Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles



- . Door weight up to 250 lbs.
- . Wood doors 1-3/4" thick (top-mount hangers)
- . Door bottom 3/8" undercut





9433 PACKAGED SETS **Dual Wheel 2m SS Round Rail**

FEATURES

Materials:

304 stainless steel track and hangers with nylon coated rollers

System Includes:

- . Stainless steel track (78" or 96") with two end caps available in round or flat rail
- · Hangers with wall brackets
- . One door bottom guide
- · Two track stops
- · Mounting and installation hardware

Standards:

(Grade 1) for sliding doors by exceeding 100,000 cycles

Meets performance requirements of ANSI/BHMA 156.14

DOOR SPECIFICATIONS

- . Door weight up to 250 lbs.
- Wood doors 1-3/4" thick (top-mount hangers)
- . Door bottom 3/8" undercut







9435 PACKAGED SETS

Top Mount Spoke Wheel 2m SS Round Rail

FEATURES

Materials:

304 stainless steel track and hangers with nylon coated rollers

System Includes:

- Stainless steel track (78" or 96") with two end caps available in round or flat rail
- · Hangers with wall brackets
- . One door bottom guide
- · Two track stops
- · Mounting and installation hardware

Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles

DOOR SPECIFICATIONS

- . Door weight up to 250 lbs.
- Wood doors 1-3/4" thick (top-mount hangers)
- . Door bottom 3/8" undercut





9436 PACKAGED SETS Face Mount Stick 2m SS Round Rail

FEATURES

Materials:

304 stainless steel track and hangers with nylon coated rollers

System Includes:

- Stainless steel track (78" or 96") with two end caps available in round or flat rail
- · Hangers with wall brackets
- · One door bottom guide
- · Two track stops
- · Mounting and installation hardware

Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles

DOOR SPECIFICATIONS

- . Door weight up to 250 lbs.
- Wood doors 1-1/4 "- 1-3/4" thick
- · Door bottom 3/8" undercut
- Glass doors 3/8" to 1/2" thick





FOR ANY HAGER PURCHASE CONTACT INDUSTRIAL HARDWARE & SPECIALTIES INC.

CALL 1800-684-4010





9437 PACKAGED SETS Face Mount Dual Wheel 2m SS Round Rail

FEATURES

Materials:

304 stainless steel track and hangers with nylon coated rollers

System Includes:

- Stainless steel track (78" or 96") with two end caps available in round or flat rail
- · Hangers with wall brackets
- · One door bottom guide
- · Two track stops
- · Mounting and installation hardware

Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles



- . Door weight up to 250 lbs.
- Wood doors 1-1/4 "- 1-3/4" thick
- . Door bottom 3/8" undercut
- . Glass doors 3/8" to 1/2" thick





9438 PACKAGED SETS Face Mount Triangle 2m SS Round Rail

FEATURES

Materials:

304 stainless steel track and hangers with nylon coated rollers

System Includes:

- Stainless steel track (78" or 96") with two end caps available in round or flat rail
- · Hangers with wall brackets
- . One door bottom guide
- · Two track stops
- · Mounting and installation hardware

Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles

DOOR SPECIFICATIONS

- . Door weight up to 250 lbs.
- Wood doors 1-1/4 "- 1-3/4" thick
- · Door bottom 3/8" undercut
- . Glass doors 3/8" to 1/2" thick



FOR ANY HAGER PURCHASE CONTACT INDUSTRIAL HARDWARE & SPECIALTIES INC.

CALL 1800-684-4010





9462 PACKAGED SET Flat Stick Strap 2m SS Round Rail

FEATURES

Materials:

304 stainless steel track and hangers with nylon coated rollers

System Includes:

- Stainless steel track (72" or 96") with two end caps available in round or flat rail
- · Hangers with wall brackets
- · One door bottom guide
- · Two track stops
- · Mounting and installation hardware

Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles

DOOR SPECIFICATIONS

- . Door weight up to 250 lbs.
- · Wood doors 1-3/8" thick
- · Door bottom 3/8" undercut









9400 SERIES BARN DOOR HARDWARE - CONESTOGA SERIES

FEATURES

- Durable powder-coated black rail and Conestoga Style, Barn Door Hangers
- . Conforms to ANSI BHMA A156.14-2007
- . Grade 1 for sliding doors by exceeding 100,000 cycles in operation

SPECIFICATIONS

- . Door weight up to 250 lbs.
- . Wood doors up to 1-3/4" thick



| Stock Number | Hager Part Number | Description | |
|-----------------|--|---|--|
| Conestoga | Barn Door | | |
| Rail Only | | | |
| 186242 | 9450-48 | 48" Black Powder Coated, Flat Rail | |
| 186243 | 9450-72 | 72" Black Powder Coated, Flat Rail | |
| 186251 | 9450-96 | 96" Black Powder Coated, Flat Rail | |
| | s Less Rail, All Ki brackets and fast | ts Include two carriers, stops, floor guide and rail eners | |
| 188467 | 9452 | 3" Black Powder Coated Hook Carrier Kit Less Rail | |
| 188468 | 9453 | 5" Black Powder Coated Hook Carrier Kit Less Rail | |
| 188469 | 9454 | 3" Black Powder Coated Strap Carrier Kit Less Rail | |
| 188470 | 9455 | 3" Black Powder Coated Top Mount Carrier Kit Less Rail | |
| Optional C | omponents | | |
| Privacy Lat | tch and Pull | | |
| 186296 | 1-269-8693 | Sliding Door Privacy Latch & Strike Plate | |
| 186299 | 1-269-8694 | 4" x 1-3/4" x 7/16" Flush Pull | |
| Accessorie | s | 60 | |
| 186289 | 1-269-8689 | Bracket Kit: Includes 1 Wall Mount Bracket with Fastener | |
| 186290 | 1-269-8690 | Stop Kit: Includes 2 End Stops with Fasteners | |
| 186292 | 1-269-8691 | Splice Kit: Includes Splice Components and Fasteners for Joint Rails | |



9400 SERIES BARN DOOR HARDWARE - CONESTOGA SERIES - HOW TO ORDER

IMPORTANT:

1.Track is ordered separately from hardware kit.

2. Track and Carrier Hardware are shipped in separate cartons.

Single Door Solution:

1) 9450 Track: Specify length (48", 72" or 96").

2) Carrier Hardware Kit: Specify style - Includes all mounting hardware

Example:

9450 - 48 9450 - 72

9450 - 96


| 9452 | 9453 | 9454 | 9455 |
|---------------------------------------|-----------------|---|--------------|
| 4 00 | . | | - w |
| | 88 ≣ | 8 8 | |
| | | | |
| ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ | · C · C · C | · • • • • • • • • • • • • • • • • • • • | · C · C · C |
| · E · E | ₹ ₹ | • € • € | -Œ-Œ |
| 3" Hook Carrier | 5" Hook Carrier | 3" Strap | 3" Top Mount |

Bi-Part Door Solution:

If using two doors that are 3' wide, order a 6' track per door, for a total of 12'. This allows the doors to clear the door opening when in the open position. Order one carrier hardware kit per door and one Splice Kit.

To Order:

- 1) 9450 Track: Specify quantity and length.
- 2) Carrier Hardware Kit: Specify quantity and carrier style. Example: Order 2 of part number 9453, 5" hook carrier style - Includes all mounting hardware.



3) Splice Kit: Order 1 of part number 1-269-8691 Flat Rail Splice Kit.



FOR ANY HAGER PURCHASE CONTACT INDUSTRIAL HARDWARE & SPECIALTIES INC.



9400 SERIES BARN DOOR HARDWARE - CONESTOGA SERIES

9450

Durable Black Powder-Coated Rail

FEATURES

Materials:

Durable powder-coated black aluminum

Available in:

48", 72" and 96" lengths

9452

3" Hook Carrier (Rail Not Included)

FEATURES

Materials:

Durable powder-coated black aluminum

System Includes:

- · Two carriers
- · Two stops
- · Floor guide
- · Rail mounting brackets and fasteners

Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles

DOOR SPECIFICATIONS

- . Door weight up to 250 lbs.
- . Wood doors up to 1-3/4" thick

9453

5" Hook Carrier (Rail Not Included)

FEATURES

Materials:

Durable powder-coated black aluminum

System Includes:

- · Two carriers
- · Two stops
- · Floor guide
- · Rail mounting brackets and fasteners

Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles

DOOR SPECIFICATIONS

- . Door weight up to 250 lbs.
- . Wood doors up to 1-3/4" thick







9400 SERIES BARN DOOR HARDWARE - CONESTOGA SERIES

9454

3" Strap Carrier (Rail Not Included)

FEATURES

Materials:

Durable powder-coated black aluminum

System Includes:

- Two carriers
- Two stops
- · Floor guide
- · Rail mounting brackets and fasteners

Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles

DOOR SPECIFICATIONS

- Door weight up to 250 lbs.
- . Wood doors up to 1-3/4" thick



9455

3" Top Mount Carrier (Rail Not Included)

FEATURES

Materials:

Durable powder-coated black aluminum

System Includes:

- · Two carriers
- · Two stops
- · Floor guide
- · Rail mounting brackets and fasteners


Standards:

Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles

DOOR SPECIFICATIONS

- . Door weight up to 250 lbs.
- . Wood doors up to 1-3/4" thick





FOR ANY HAGER PURCHASE CONTACT INDUSTRIAL HARDWARE & SPECIALTIES INC.

CALL 1800-684-4010








9400 SERIES BARN DOOR HARDWARE - CONESTOGA SERIES - OPTIONAL COMPONENTS



1-269-8689 Bracket Kit



1-269-8693 Privacy Latch



1-269-8690 Stop Kit



1-269-8694 Flush Pull



1-269-8691 Splice Kit