



ADVANCED CABLE TIES PART NUMBER	BUNDLE DIAMETER		A IN (mm)	B IN (mm)	C IN (mm)	D IN (mm)	E IN (mm)	MIN LOOP TENSILE LBS (n)	ANSI/UL 94 MH FLAMABILITY RATING	
	MAX IN (mm)									
AP(R, L)-04-BD-9	1.818 (30.000mm)		4.724 (120.000mm) +/- .059 (1.500mm)	.047 (1.200mm) +/- .010 (.250mm)	4.055 (103.00mm) +/- .039 (1.000mm)	.094 (2.400mm) +/- .010 (.250mm)	.209 (5.300mm) +/- .002 (.300mm)	18 (80)	V-2	
AP(R, L)-06-BD-9	1.535 (39.000mm)		5.906 (150.000mm) +/- .138 (3.500mm)	.079 (2.000mm) +/- .010 (.250mm)	4.960 (126.000mm) +/- .098 (2.500mm)	.114 (2.900mm) +/- .010 (.250mm)	.296 (7.500mm) +/- .010 (.250mm)	30 (133)	V-2	
AP(R, L)-08-BD-9	2.480 (63.000mm)		8.898 (226.000mm) +/- .010 (.250mm)	.110 (2.800mm) +/- .010 (.250mm)	7.874 (200.000mm) +/- .010 (.250mm)	.150 (3.800mm) +/- .010 (.250mm)	.385 (9.800mm) +/- .014 (.360mm)	40 (178)	V-2	
						ACT ADVANCED CABLE TIES, INC.				
						ADVANCED CABLE TIES – BEADED CABLE TIES				
						COLOR DESIGNATIONS: 9 = NATURAL		MATERIAL: NYLON 6/6 POLYAMIDE		
B	4/27/17	JA	KT	KT	NEW LOGO ADDED.		SHEET 1 OF 1	REV.: B	DRAWING NO.: BD-B	
A	4/28/14	JA	KT	KT	INITIAL RELEASE		DRAWN BY	DATE	CHECK	SCALE
REV	DATE	BY	CHK	APPROVE	DESCRIPTION		JA	4/27/17	KT	NONE

CONFIDENTIAL PROPERTY OF ADVANCED CABLE TIES, INC.

THIS DRAWING IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF ADVANCED CABLE TIES, INC.

SPC-4.10.69.1